

Gold Series Outfits

GENTEC® Gold Series packaged welding, cutting, brazing, and heating outfits are designed for efficient, oxy-fuel gas manual operations. All components are manufactured under stringent quality controls and carefully selected to provide optimum performance and service life. Most of the components, where applicable, are listed with Underwriters Laboratories, Inc.

With a wide variety of outfit selections, you will find the outfit you need: from light duty hobby jobs to medium duty maintenance applications to heavy duty scrapping operations.

PRODUCT CATEGORY

- 1120 JOBBER
- 1121 JOBBER II
- 1138 IRON HORSE
- 1130 COMMANDER
- 1131 COMMANDER II
- 12-PTC TOTE-A-TORCH
- 4121 EXCALIBUR
- 4130 THE BOSS DELUXE
- 4131 THE BOSS



JOBBER 1120 & 1120FA

Medium Duty Outfits in Deluxe Tool Bag for General Purposes

- Can weld up to 1/4" and cut up to 1/2"
- Ideal for home, farm, construction, and industrial maintenance facilities
- With optional tips, can weld up to 1 1/4" and cut up to 6"
- Regulators come with Steel Gauge Guards
- 20' T-grade twin hoses
- 1120 is equipped with 24-CV7PR Torch End Check Valves
- 1120FA is equipped with FA7TPR Flashback Arrestors, which include built-in check valves



1120

| Model Number | Dimension/Weight | Torch Handle | Cutting Attachment | Regulators | Cutting Tip | Heating Nozzle | Welding Nozzles | T-Grade Twin Hoses | Goggles | Striker | Tip Cleaner | Check Valves |
|--------------|-------------------------|--------------|--------------------|-------------------------------------|-------------|----------------|-----------------|--------------------|---------|---------|-------------|---------------------|
| | | | | | | | | | | | | Flashback Arrestors |
| 1120 | 21"x19"x9" 20.6 lbs. | 142T | 142C | 152X-80G (OXY.) 152Y-15G (ACET.) | 172C-0 | 172H-6 | 172W-0,2,4 | HW23-T020 | 9-WG6G | 25-300 | 25-120 | 24-CV7PR |
| 1120FA | | | | | | | | | | | | FA7TPR |

JOBBER II 1121 & 1121FA

Medium Duty Outfits in Deluxe Tool Bag for General Purposes

- Can weld up to 5/64" and cut up to 1/2"
- Ideal for home, farm, construction, and industrial maintenance facilities
- With optional tips, can weld up to 1 1/4" and cut up to 6"
- Regulators come with Steel Gauge Guards
- 20' T-grade twin hoses
- 1121 is equipped with 24-CV7PR Torch End Check Valves
- 1121FA is equipped with FA7TPR Flashback Arrestors, which include built-in check valves
- Victor® Performer® equivalent



1121

| Model Number* | Dimension / Weight | Torch Handle | Cutting Attachment | Regulators | Cutting Tip | Welding Nozzle | T-Grade Twin Hoses | Goggles | Striker | Tip Cleaner | Check Valves |
|---------------|-------------------------|--------------|--------------------|-------------------------------------|-------------|----------------|--------------------|---------|---------|-------------|---------------------|
| | | | | | | | | | | | Flashback Arrestors |
| 1121 | 21"x19"x9" 19.8 lbs. | 142T | 142C | 152X-80G (OXY.) 152Y-15G (ACET.) | 172C-0 | 172W-0 | HW23-T020 | 9-WG6G | 25-300 | 25-120 | 24-CV7PR |
| 1121FA | | | | | | | | | | | FA7TPR |

Acetylene Regulator Inlet Connection supplied is standard CGA 510. Inlet connection CGA 300 is also available; to order, simply add "-3" to the outfit model number. For example: 1120-3 or 1120FA-3; 1121-3 or 1121FA-3.

Victor® and Performer® are a registered trademarks of Victor Equipment Co., which is not associated with Genstar Technologies Co., Inc.

IRON HORSE 1138 & 1138FA

Medium / Heavy Duty Outfits in Deluxe Tool Bag for General Purposes

- Can cut up to 3/4"
- Ideal for industrial and commercial applications
- With optional tips, can weld up to 3" and cut up to 6"
- 20' T-grade twin hoses
- 1138 is equipped with 24-CV7PR Torch End Check Valves
- 1138FA is equipped with FA7TPR Flashback Arrestors which include built-in check valves
- Victor® Contender® equivalent



1138

| Model Number* | Dimension / Weight | Torch Handle | Cutting Attachment | Regulators | Cutting Tip | Heating Nozzle | T-Grade Twin Hoses | Goggles | Striker | Tip Cleaner | Check Valves |
|---------------|-------------------------|--------------|--------------------|------------------------------------|-------------|----------------|--------------------|---------|---------|-------------|---------------------|
| | | | | | | | | | | | Flashback Arrestors |
| 1138 | 21"x19"x9" 23.3 lbs. | 143T | 143CA | 853X-125 (OXY.) 853Y-15 (ACET.) | 173C-1 | 173H-6 | HW24-T020 | 9-WG6G | 25-300 | 25-120 | 24-CV7PR |
| 1138FA | | | | | | | | | | | FA7TPR |

Acetylene Regulator Inlet Connection supplied is standard CGA 510. Inlet Connection CGA 300 is also available; to order, simply add "-3" to the outfit model number. For example: 1138-3 or 1138FA-3.

IRON HORSE II 1221

Medium / Heavy Duty Outfits in Deluxe Tool Bag for General Purposes

- Can weld up to 1/4" and cut up to 1/2"
- Ideal for ship building, construction, petroleum, and chemical industries
- With optional tips, can weld up to 1-1/4" and cut up to 6"
- 20' T-grade twin hoses
- 1221 is equipped with 24-CV7PR Torch End Check Valves
- Victor® Super Range® II equivalent



1221

| Model Number* | Dimension / Weight | Torch Handle | Cutting Attachment | Regulators | Cutting Tip | Welding Nozzle | T-Grade Twin Hoses | Goggles | Striker | Tip Cleaner | Check Valves |
|---------------|-------------------------|--------------|--------------------|------------------------------------|-------------|----------------|--------------------|---------|---------|-------------|--------------|
| 1221 | 21"x19"x9" 21.5 lbs. | 142T | 142C | 853X-125 (OXY.) 853Y-15 (ACET.) | 172C-0 | 172W-2 | HW24-T020 | 9-WG6G | 25-300 | 25-120 | 24-CV7PR |

Acetylene Regulator Inlet Connection supplied is standard CGA 510. Inlet Connection CGA 300 is also available; to order, simply add "-3" to the outfit model number. For example: 1221-3

COMMANDER 1130 & 1130FA

Heavy Duty Outfits in Deluxe Tool Bag for Industrial & Commercial Applications

- Can weld up to 1/2" and cut up to 3/4"
- Ideal for industrial and commercial applications
- With optional tips, can weld up to 3" and cut up to 8"
- Regulators come with Steel Gauge Guards
- 25' T-grade twin hoses
- 1130 is equipped with 24-CV7PR Torch End Check Valves
- 1130FA is equipped with FA7TPR Flashback Arrestors, which include built-in check valves
- Victor® Journeyman® equivalent



1130

| Model Number* | Dimension / Weight | Torch Handle | Cutting Attachment | Regulators | Cutting Tip | Heating Nozzle | Welding Nozzles | T-Grade Twin Hoses | Goggles | Striker | Tip Cleaner | Check Valves | |
|---------------|------------------------|--------------|--------------------|--------------------------------------|-------------|----------------|-----------------|--------------------|---------|---------|-------------|---------------------|--|
| | | | | | | | | | | | | Flashback Arrestors | |
| 1130 | 23"x22"x11" 28 lbs. | 143T | 143CA | 153X-125G (OXY.) 153Y-15G (ACET.) | 173C-1 | 173H-8 | 173W-1,3,5 | HW24-T025 | 9-WG6G | 25-300 | 25-120 | 24-CV7PR | |
| 1130FA | | | | | | | | | | | | FA7TPR | |

COMMANDER II 1131 & 1131FA

Heavy Duty Outfits in Deluxe Tool Bag for Industrial & Commercial Applications

- Can weld up to 1/8" and cut up to 3/4"
- Ideal for industrial and commercial applications
- With optional tips, can weld up to 3" and cut up to 8"
- Regulators come with Steel Gauge Guards
- 20' T-grade twin hoses
- 1131 is equipped with 24-CV7PR Torch End Check Valve
- 1131FA is equipped with FA7TPR Flashback Arrestors, which include built-in check valves
- Victor® Journeyman® II equivalent



1131

| Model Number* | Dimension / Weight | Torch Handle | Cutting Attachment | Regulators | Cutting Tip | Welding Nozzle | T-Grade Twin Hoses | Goggles | Striker | Tip Cleaner | Check Valves | |
|---------------|------------------------|--------------|--------------------|--------------------------------------|-------------|----------------|--------------------|---------|---------|-------------|---------------------|--|
| | | | | | | | | | | | Flashback Arrestors | |
| 1131 | 23"x22"x11" 29 lbs. | 143T | 143CA | 153X-125G (OXY.) 153Y-15G (ACET.) | 173C-1 | 173W-2 | HW24-T020 | 9-WG6G | 25-300 | 25-120 | 24-CV7PR | |
| 1131FA | | | | | | | | | | | FA7TPR | |

Acetylene Regulator Inlet Connection supplied is standard CGA 510. Inlet Connection CGA 300 is also available; to order, simply add "-3" to the outfit model number. For example: 1130-3 or 1130FA-3; 1131-3 or 1131FA-3.

Victor® & Journeyman® are registered trademarks of Victor Equipment Co., which is not associated with Genstar Technologies Co., Inc.

EXCALIBUR 4121 & 4121FA

Medium Duty Outfits in Deluxe Tool Bag for All Trades

- Can weld up to 1/8" and cut up to 1"
- Ideal for ship building, construction, petroleum, and chemical industries
- With optional tips, can weld up to 1/2" and cut up to 5"
- 20' T-grade twin hoses
- 4121 is equipped with 24-CV7PR Torch End Check Valves
- 4121FA is equipped with FA7TPR Flashback Arrestors, which include built-in check valves
- Harris® Steelworker® Classic equivalent



4121

| Model Number* | Dimension / Weight | Torch Handle | Cutting Attachment | Regulators | Cutting Tip | Welding Elbow | Mixer | T-Grade Twin Hoses | Goggles | Striker | Check Valves | |
|---------------|-----------------------|--------------|--------------------|-----------------------------------|-------------|---------------|-------|--------------------|---------|---------|---------------------|--|
| | | | | | | | | | | | Flashback Arrestors | |
| 4121 | 21"x19"x9" 19 lbs. | 442T | 442C | 452X-80 (OXY.) 452Y-15 (ACET.) | 472C-1 | 472W-5 | 472M | HW23-T020 | 9-WG6G | 25-300 | 24-CV7PR | |
| 4121FA | | | | | | | | | | | FA7TPR | |

THE BOSS 4131 & 4131FA

Heavy Duty Outfits in Deluxe Tool Bag for Industrial & General Purposes

- Can weld up to 1/8" and cut up to 1"
- Designed for all trades. Features a complete package of apparatus and accessories for general purpose and industrial use
- With optional tips, can weld up to 1" and cut up to 6"
- 20' T-grade twin hoses
- 4131 is equipped with 24-CV7PR Torch End Check Valves
- 4131FA is equipped with FA7TPR Flashback Arrestors, which include built-in check valves
- Harris® Pipeliner® Classic equivalent



4131

| Model Number* | Dimension / Weight | Torch Handle | Cutting Attachment | Regulators | Cutting Tip | Welding Elbow | Mixer | T-Grade Twin Hoses | Goggles | Striker | Check Valves | |
|---------------|--------------------------|--------------|--------------------|------------------------------------|-------------|---------------|-------|--------------------|---------|---------|---------------------|--|
| | | | | | | | | | | | Flashback Arrestors | |
| 4131 | 23"x22"x11" 22.5 lbs. | 443T | 443C | 453X-175 (OXY.) 453Y-15 (ACET.) | 472C-1 | 472W-5 | 473M | HW24-T020 | 9-WG6G | 25-300 | 24-CV7PR | |
| 4131FA | | | | | | | | | | | FA7TPR | |

Acetylene Regulator Inlet Connection supplied is standard CGA 510. Inlet connection CGA 300 is also available; to order, simply add "-3" to the outfit model number. For example: 4121-3 or 4121FA-3.

Harris® Steelworker® & Pipeliner® are registered trademarks of Lincoln Equipment Co., which is not associated with Genstar Technologies Co., Inc.

TOTE A TORCH 12-PT, 12-PTC & 12-PTCSP

Portable Outfit for Repair & Maintenance

- Can weld up to 3/16" and cut up to 1/2". With optional larger tips and sufficient acetylene and oxygen supply
- Tote-A-Torch can weld up to 1-1/4" and cut up to 6"
- A light to medium duty portable outfit that is extremely popular for general maintenance work, metal sculpture, automotive repair, air conditioning, refrigeration, etc. The carrier is made of tough, lightweight polypropylene and is designed to carry one "MC" acetylene cylinder, one "R" (20 cu. ft.) oxygen cylinder, and apparatus
- Featured with this outfit are rear entry regulators for better balance on the small cylinders. The acetylene regulator has an "MC" (CGA 200) inlet connection and the oxygen regulator has the standard CGA 540 connection
- Torch handle is equipped with 24-CV7PR torch end check valves
- Regulators come with rubber gauge guards
- 12-PTCSP is the 12-PTC outfit with Anti-Theft skin package
- 3/16" x 12.5' T-grade twin hoses
- The outfit is available with or without cylinders. See chart below
- The rugged molded plastic carrier (CRT10) is also available separately
- Victor® Portable Torch equivalent



12-PTCSP



12-PTC

| Model Number | Dimension / Weight | Torch Handle | Cutting Attachment | Regulators Oxygen / Acetylene | Cutting Tip | Welding Nozzle | Twin Hoses | Goggles | Striker | Plastic Carrier | Cylinders Oxygen / Acetylene |
|--------------|----------------------------|--------------|--------------------|-------------------------------|-------------|----------------|------------|---------|---------|-----------------|------------------------------|
| 12-PT | 24.5"x11"x11" 13.4 lbs. | 142T | 142C | 210X-80G / 210Y-15G | 172C-0 | 172W-1 | HW23-T012 | 9-WG6G | 25-300 | CRT10 | N/A |
| 12-PTC | 24.5"x11"x11" 36 lbs. | | | | | | | | | | CY20-540 / CY10-MC |
| 12-PTCSP | 24.5"x11"x11" 36.4 lbs. | | | | | | | | | | CY20-540 / CY10-MC |

Victor® is a registered trademark of Victor Equipment Co., which is not associated with Genstar Technologies Co., Inc.